			/	
L Number	Hits	Search Text	DB	Time stamp
1	22	("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:13
•		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	6	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 14:42
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and acquir\$5	EPO; JPO;	
		near9 (data or database or file or information or table or	DERWENT;	
		record)	IBM_TDB	
3	5	((("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:14
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and acquir\$5	EPO; JPO;	
		near9 (data or database or file or information or table or	DERWENT;	
		record)) and allocat\$5	IBM_TDB	
4	0	**	USPAT:	2004/06/08 13:14
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and acquir\$5	EPO; JPO;	
		near9 (data or database or file or information or table or	DERWENT:	
		record)) and allocat\$5) and mirgrat\$6	IBM_TDB	
5	1	(((("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:15
"	'	"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	2004/00/06 13.13
		"5333315" or "5317727" or "5131087").pn.) and acquir\$5	EPO; JPO;	
		near9 (data or database or file or information or table or	DERWENT;	
		record)) and allocat\$5) and migrat\$6		
6	1	((((("20010054133" or "6658417" or "6490722" or "6035306"	IBM_TDB	2004/00/00 42:45
١ .			USPAT;	2004/06/08 13:15
		or "5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and acquir\$5	EPO; JPO;	
		near9 (data or database or file or information or table or	DERWENT;	
_	04	record)) and allocat\$5) and migrat\$6) and storage	IBM_TDB	
7	21	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:15
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and storage	EPO; JPO;	
			DERWENT;	
	4.0		IBM_TDB	
8	18	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:16
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and storage near2	EPO; JPO;	
		(device or system or position or unit or control\$6 or apparatus)	DERWENT;	
			IBM_TDB	
9	14	(// ==================================	USPAT;	2004/06/08 13:17
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and storage near2	EPO; JPO;	
		(device or system or position or unit or control\$6 or apparatus)	DERWENT;	
) and storage near6 (plurality or multiple or number)	IBM_TDB	
10	14	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:17
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and storage near6	EPO; JPO;	
		(plurality or multiple or number)	DERWENT;	
		,	IBM_TDB	
11	5	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:21
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and acquir\$5	EPO; JPO;	
		near2 (data or database or file or information or table or	DERWENT:	
		record)	IBM TDB	
12	16	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:40
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	2007/00/00 13.40
		"5333315" or "5317727" or "5131087").pn.) and (performance	1	
		or tuning)	EPO; JPO;	
		or wining)	DERWENT;	
13	6	(/"20010054133" or "6659417" or "6400700" "0005000"	IBM_TDB	0004/00/00 10 5-
.	0	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:35
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and (conversion	EPO; JPO;	
İ	l	or convert\$4 or translat\$5 or interpreter\$6)	DERWENT;	
			IBM_TDB	

			•	
14'		(("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "53333315" or "5317727" or "5131087").pn.) and parallel\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:26
15	1	(("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "53333315" or "5317727" or "5131087").pn.) and parallelism\$6	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:27
16	103730	acquir\$5 near4 (data or database or file or information or table or record)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:33
17	2	(("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "5333315" or "5317727" or "5131087").pn.) and schema and index\$5 and (log or logged)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:35
18	284	(acquir\$5 near4 (data or database or file or information or table or record)) and schema and index\$5 and (log or logged)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:35
19	9	((acquir\$5 near4 (data or database or file or information or table or record)) and schema and index\$5 and (log or logged)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:37
20	3	((acquir\$5 near4 (data or database or file or information or table or record)) and schema and index\$5 and (log or logged)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical with storage	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:36
21	15	((acquir\$5 near4 (data or database or file or information or table or record)) and schema and index\$5 and (log or logged)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same logical same physical same storage	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:37
22	0	(("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "53333315" or "5317727" or "5131087").pn.) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same logical same	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:37
23	0	physical same storage (("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "5333315" or "5317727" or "5131087").pn.) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same logical same	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:37
24	349	physical (acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:38
25	8130	(acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:39
26	0	((("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "5333315" or "5317727" or "5131087").pn.) and parallelism\$6) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:39

			,	
27 '	198	((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:41
28	159	(((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:41
29	159	((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near9 (data or database or file or information or table or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:39
30	159	((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near4 (data or database or file or information or table or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:39
31	120	(((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near4 (data or database or file or information or table or record)) and (performance or tuning)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:40
32	43	(((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near4 (data or database or file or information or table or record)) and (performance and tuning)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:42
33	4	((((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near4 (data or database or file or information or table or record)) and (performance and tuning)) and (707/\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:42
34	86108	(conversion or convert\$4 or translat\$5 or interpreter\$6) with storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:41
35	1280	((conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:41
36	814	(((conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and storage with logical with physical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:41
37	46	((((conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and storage with logical with physical) and (performance and tuning)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:42

			,	
38	15	(((((conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and (conversion or convert\$4 or translat\$5 or	USPAT; US-PGPUB;	2004/06/08 13:43
		interpreter\$6) with logical with physical) and storage with logical with physical) and (performance and tuning)) and (707/\$.ccls. or 717/\$.ccls.)	EPO; JPO; DERWENT; IBM_TDB	
39	14	((((((conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and (conversion or convert\$4 or translat\$5 or	USPAT; US-PGPUB;	2004/06/08 13:44
		interpreter\$6) with logical with physical) and storage with logical with physical) and (performance and tuning)) and	EPO; JPO; DERWENT;	
40	15	(707/\$.ccls. or 717/\$.ccls.)) and (mapping) ((((((conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and (conversion or convert\$4 or translat\$5 or	IBM_TDB USPAT; US-PGPUB;	2004/06/08 13:44
		interpreter\$6) with logical with physical) and storage with logical with physical) and (performance and tuning)) and (707/\$.ccls. or 717/\$.ccls.)) and (mapping or map)	EPO; JPO; DERWENT; IBM TDB	
41	15	((((((conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and storage with logical with physical) and (performance and tuning)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:46
42	9	(707/\$.ccls. or 717/\$.ccls.)) and (mapp\$4 or map) (("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "53333315" or "5317727" or "5131087").pn.) and (mapp\$4 or	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/08 13:48
43	7	map) (("20010054133" or "6658417" or "6490722" or "6035306" or	DERWENT; IBM_TDB USPAT;	2004/06/08 13:49
		"5960437" or "5778392" or "5544359" or "5506986" or "5333315" or "5317727" or "5131087").pn.) and access\$6 with perform\$6 with storage	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
44	12	(("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "53333315" or "5317727" or "5131087").pn.) and (access\$6 with storage) and (perform\$6 near9 storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:50
45	11	(("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "53333315" or "5317727" or "5131087").pn.) and (access\$6 near9 storage) and (perform\$6 near9 storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:53
46	5	(("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "53333315" or "5317727" or "5131087").pn.) and ((location or position or address\$3) near4 data) same storage	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:54
47	2	(("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or "53333315" or "5317727" or "5131087").pn.) and (acquir\$5 near4 (database or DBMS))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:43
48	3598	(acquir\$5 near4 (database or DBMS))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:44
49	401	(acquir\$5 near4 (database or DBMS)) same (allocat\$6 or storage or migrat\$6)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:54
50	69	((acquir\$5 near4 (database or DBMS)) same (allocat\$6 or storage or migrat\$6)) and (707/\$.ccls. or 711/\$.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:55

51 ′	4101	(acquir\$5 or acquisition) near4 (database or DBMS)	USPAT; US-PGPUB; EPO; JPO;	2004/06/08 14:54
52	62	((acquir\$5 or acquisition) near4 (database or DBMS)) and	DERWENT; IBM_TDB USPAT;	2004/06/08 14:59
		(allocat\$6 and storage and migrat\$6)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
53	25	((acquir\$5 or acquisition) near4 (database or DBMS)) and (allocat\$6 and storage and migrat\$6) and relocat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:55
54	3	(((acquir\$5 or acquisition) near4 (database or DBMS)) and (allocat\$6 and storage and migrat\$6) and relocat\$6) and (707/\$.ccls. or 711/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:56
55	14	(((acquir\$5 or acquisition) near4 (database or DBMS)) and (allocat\$6 and storage and migrat\$6)) and (707/\$.ccls. or 711/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:00
56	5	((acquir\$5 or acquisition) near4 (database or DBMS)) and (allocat\$6 and storage and migrat\$6) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:59
57	468	((acquir\$5 or acquisition) near4 (database or DBMS)) and (707/\$.ccls. or 711/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:00
58	329	(((acquir\$5 or acquisition) near4 (database or DBMS)) and (707/\$.ccls. or 711/\$.ccls.)) and storage same (database or allocat\$6 or migrat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:00
59	300	(((acquir\$5 or acquisition) near4 (database or DBMS)) and (707/\$.ccls. or 711/\$.ccls.)) and storage with (database or allocat\$6 or migrat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:01
60	289	(((acquir\$5 or acquisition) near4 (database or DBMS)) and (707/\$.ccls. or 711/\$.ccls.)) and storage near9 (database or allocat\$6 or migrat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 15:01
61	6	(((acquir\$5 or acquisition) near4 (database or DBMS)) and (707/\$.ccls. or 711/\$.ccls.)) and storage near9 (database and allocat\$6 and migrat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:02
62	202	(((acquir\$5 or acquisition) near4 (database or DBMS)) and (707/\$.ccls. or 711/\$.ccls.)) and storage adj (device or system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:02
63	1075	((((acquir\$5 or acquisition) near4 (database or DBMS)) and (707/\$.ccls. or 711/\$.ccls.)) and storage adj (device or system)) abnd ((data or information) near6 (allocat\$6 and migrat\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:03

				T
64	4	((((acquir\$5 or acquisition) near4 (database or DBMS)) and	USPAT;	2004/06/08 15:03
		(707/\$.ccls. or 711/\$.ccls.)) and storage adj (device or	US-PGPUB;	
		system)) and ((data or information) near6 (allocat\$6 and	EPO; JPO;	
		migrat\$6))	DERWENT;	
	1		IBM TDB	